

Concrete Etch & Cement Remover



PRODUCT DESCRIPTION	one component, detergent and acid-based etching and cleaning solution
----------------------------	---

INTENDED USES	A ready to use, clear liquid designed to react with and clean concrete and cement surfaces. It emulsifies grease and oil on the surface and etches the surface. After rinsing and drying it leaves behind a grease free and etched surface ready for coating application
----------------------	--

- | | |
|------------------------|--|
| CHARACTERISTICS | <ul style="list-style-type: none">• Effective removal of pollutants from concrete & cementitious surfaces• Removes cement from brick & other mineral surfaces• Works in 15 – 20 minutes• Washes off with water• Etches concrete surfaces |
|------------------------|--|
-

- | | |
|--------------------|--|
| LIMITATIONS | <ul style="list-style-type: none">• May not remove some weathered Calcium Silicate salts• Do not use where washings and run off cannot be contained and legally disposed of• Technical and application data herein is for the purpose of establishing a general guideline of the cleaning & application procedures.• Test performance results were obtained in a controlled laboratory environment and Speccoats™ makes no claim that the exhibited published test results, or any other tests, accurately represent results found in all field environments. As application, environmental and design factors can vary, due care should be exercised in the selection and verification of the performance and use of the coating |
|--------------------|--|
-

PRODUCT INFORMATION	<table><tr><td>Colour</td><td>Opaque Liquid</td></tr><tr><td>Theoretical Coverage</td><td>6m² / Lt</td></tr></table>	Colour	Opaque Liquid	Theoretical Coverage	6m² / Lt
Colour	Opaque Liquid				
Theoretical Coverage	6m² / Lt				

Concrete Etch & Cement Remover



APPLICATION

Concrete Etch and Cement Remover is ready for use and does not require mixing

Remove any gross dirt and contamination by mechanical means or high-pressure water blasting

Avoid skin & eye contact! Protective clothing must be worn; long sleeve overalls, goggles, acid resistant gloves, apron and boots. If the product comes into contact with the skin, wash off with clean water immediately.

Apply the Concrete Etch and Cement Remover to the surface using suitable brushes (100% Synthetic/Non-metal) – work the product into the surface.

The detergent will emulsify any grease and oil on the surface

The acid will react with the cement and reduce it to a soluble form

After about 20 minutes, rinse the surfaces with drinking quality water

Neutralize any remaining acid with Alkali pH Restorer (powder dissolved in water)

Contain the spillage from the washing operation and neutralize to pH 7 (neutral), prior to disposing of it in an environmentally safe procedure

As the surface dries, any residual white powder that appears on the surface must be scrubbed off with water. Allow the surface to air dry.

UNIT SIZE

5 & 20LT

STORAGE

24 months at 25°C – from date of manufacture. Subject to inspection thereafter. Store in dry conditions out of direct sunlight. Store at temperature between 5°C and 35°C

IMPORTANT NOTE

Whilst we endeavor to ensure that all advice we give about the product is correct, the information given in this data sheet is not intended to be exhaustive and any person using the product for any purpose other than that specifically recommended in this sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so entirely at his own risk. As conditions of use, method of application and suitability of the substrate prior to painting are beyond our control, no guarantee is implied by the recommendations contained herein. We therefore do not accept any liability whatsoever or howsoever arising from the performance of this product or for any loss or damage arising out of the use of this product. The information contained in this sheet is liable to modification from time to time in the light of experience and ongoing product development programmes. It is the user's responsibility to ensure that this sheet is current prior to using the product

Decorative Coatings

Concrete Etch & Cement Remover

